




LUXORA
— DOORS & WINDOWS —

PRODUCT INDEX

Pivot Door 80	Page 2
Series slim frame sliding door 170	Page 3
Series Thermal Break Lift Sliding Door 150	Page 4
Series Heavy Duty Sliding Door 135	Page 5
Series Thermal Break Folding Door 68	Page 6
Series Thermal Break Casement Door 65	Page 7
Series slim frame casement door 4518	Page 8
Barn Door 4518	Page 9
Series Thermal Break Sliding Window 86	Page 10
Series Fold Up Window 50	Page 11
Gas strut window 100	Page 12
Series Folding Window 50	Page 13
Series Folding Window 58	Page 14
Series Thermal Break Slim Casement Window 86 (with Retractable Screen)	Page 15
Series Thermal Break Tilt & Turn Window with Screen 86	Page 16
Series Thermal Break Crank Casement Window with Screen 70	Page 17
Series Single/Double Hung Window 100	Page 18
Fixed Window 86	Page 19
Fixed Window 110	Page 20
Curtain wall 200	Page 21
Skylight Window 100	Page 22
Glass House 200	Page 23
Glass Louvre Window 50	Page 24
Aluminum Profile Colors	Page 25
Tinted Glass / Laminated Glass	Page 26
Tempered Glass / Built-In Blinds	Page 27
Insulated Double Glazing	Page 28
Window Configurations / Slider Configurations	Page 29
Folded Configurations	Page 30
Retractable Screen Door	Page 31
Global Partners	Page 32
Data Sheets (Pages 33–55)	Page 33–55


PIVOT DOOR

80

Our Pivot Door features a 6066-T6 aluminum frame paired with tempered glass for a bold, high-end aesthetic. The central-axis pivot design creates a grand, spacious entryway while delivering excellent wind resistance, superior air sealing, and meaningful energy efficiency. Equal parts striking and functional – a true statement piece for any home or commercial space.

PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm / 3.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.20
SHGC	0.12
VT	0.25
DP	Class CW-PG60
CR	73
STC	38
Specification	6mm/6mm/6mm 42mm IGO

DOUBLE GLASS

U-Factor	0.27
SHGC	0.35
VT	0.40
DP	Class CW-PG60
CR	49
STC	32
Specification	8mm/8mm 43mm IGO


MAXIMUM SIZE

Max Width	70.8661"
Max Height	137.8"
Min Width	39.3701"
Min Height	70.8661"

SERIES SLIM FRAME SLIDING DOOR

170

Our lift-and-slide door system is designed to complement virtually any architectural style. The glass can be customized with a variety of finishes and treatments, including tinting, sandblasting, and specialty shapes, providing exceptional design flexibility. The result is a sleek, modern door system that is both durable and visually refined.




PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm / 2.5mm / 3.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.23
SHGC	0.14
VT	0.29
DP	Class CW-PG55
CR	68
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS

U-Factor	0.29
SHGC	0.40
VT	0.48
DP	Class CW-PG55
CR	48
STC	32
Specification	5mm/5mm 34mm IGO


MAXIMUM SIZE

Max Width	472.44"
Max Height	118.11"
Min Width	59.0551"
Min Height	70.8661"

SERIES THERMAL BREAK LIFT SLIDING DOOR

150

Our lift sliding door is engineered to suit virtually any design vision. The glass can be processed in a wide range of ways – including custom tinting, sandblasting, and special shapes – giving you maximum flexibility in appearance and style. The result is a door that is personalized, fashionable, and built to last.




PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm / 2.5mm / 3.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.23
SHGC	0.14
VT	0.29
DP	Class CW-PG55
CR	68
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS

U-Factor	0.29
SHGC	0.40
VT	0.48
DP	Class CW-PG55
CR	48
STC	32
Specification	5mm/5mm 34mm IGO


MAXIMUM SIZE

Max Width	472.44"
Max Height	118.11"
Min Width	59.0551"
Min Height	70.8661"

SERIES HEAVY DUTY SLIDING DOOR

135

Built for demanding applications, our Heavy Duty Sliding Door combines robust construction with versatile glass options – including custom tinting, sandblasting, and specialty shapes. The result is a sliding door that is as visually distinctive as it is structurally solid.



PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm / 2.5mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.23
SHGC	0.14
VT	0.29
DP	Class CW-PG40
CR	68
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS

U-Factor	0.29
SHGC	0.40
VT	0.48
DP	Class CW-PG40
CR	48
STC	32
Specification	5mm/5mm 34mm IGO


MAXIMUM SIZE

Max Width	472.44"
Max Height	102.36"
Min Width	59.0551"
Min Height	70.8661"

SERIES THERMAL BREAK FOLDING DOOR

68

Our Thermal Break Folding Door delivers exceptional performance across the board – including thermal insulation, fire and flame resistance, noise reduction, and sound insulation. When fully opened, it creates a seamless connection between indoor and outdoor spaces, making it a favorite for patios, entertainment areas, and open-plan living.



PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 1.4mm / 1.6mm / 1.8mm / 2.0mm / 2.5mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized
 Note: Top hung recommended for heights over 9 feet



Accessories:



Water
Tightness



Heat
Insulation



Prevent
Mist



Air
Tightness



Sound
performance



Wind Load
Resistance

NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.22
SHGC	0.15
VT	0.30
DP	Class CW-PG40
CR	68
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS

U-Factor	0.30
SHGC	0.31
VT	0.34
DP	Class CW-PG40
CR	46
STC	32
Specification	5mm/5mm 37mm IGO


MAXIMUM SIZE

Max Width	590.55"
Max Height	118.11"
Min Width	47.2441"
Min Height	47.2441"

SERIES THERMAL BREAK CASEMENT DOOR

65

Our Thermal Break Casement Door offers versatile opening configurations, a wide range of styles and sizes, and straightforward installation. It provides excellent sealing, superior thermal insulation, and strong dust resistance, making it an ideal choice for residential and commercial projects across all finish grades.




PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm / 3.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.20
SHGC	0.12
VT	0.25
DP	Class CW-PG60
CR	73
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS

U-Factor	0.30
SHGC	0.31
VT	0.34
DP	Class CW-PG60
CR	46
STC	32
Specification	5mm/5mm 34mm IGO

MAXIMUM SIZE

Max Width	39.3701"
Max Height	118.11"
Min Width	23.622"
Min Height	47.2441"

SERIES SLIM FRAME CASEMENT DOOR (INTERIOR)

4518

PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum

Alu-Thickness: 2.5mm


Glass Type: Tempered glass, single or double

Glass Thickness: 5mm, 6mm, 8mm, 10mm


Hardware: Included

Finish: RAL powder coat or anodized

The Slim Frame Casement Door combines minimal sightlines with maximum glass area, creating a clean, modern look that floods any space with natural light. It offers multiple opening configurations, excellent thermal insulation, and strong dust resistance – suitable for high-end, mid-range, and standard applications alike.



Accessories:



BARN DOOR

4518

The Barn Door brings a relaxed, contemporary take on a classic American style. With a wide selection of colors, glass options, and panel shapes, it is a highly versatile design element. It also solves a practical problem: by sliding along an overhead track rather than swinging open, it conserves space in areas where a traditional swinging door simply won't fit.



Accessories:



PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum



Alu-Thickness: 2.5mm

Glass Type: Tempered glass, single or double

Glass Thickness: 5mm, 6mm, 8mm, 10mm

Hardware: Included

Finish: RAL powder coat or anodized



SERIES THERMAL BREAK SLIDING WINDOW 86


Our Sliding Window is a space-efficient, attractive, and cost-effective solution for any project. High-quality sliding tracks allow the sash to glide open effortlessly with minimal effort. Larger glass panels maximize natural light and significantly enhance the appearance of any building's exterior.

PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 1.6mm / 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:




NFRC CERTIFIED PERFORMANCE

DOUBLE GLASS

U-Factor	0.43
SHGC	0.41
VT	0.46
DP	Class CW-PG40
CR	45
STC	32
Specification	5mm/5mm 25mm IGO

MAXIMUM SIZE

Max Width	94.4882"
Max Height	70.8661"
Min Width	23.622"
Min Height	23.622"



SERIES FOLD UP WINDOW

50



The fold up Window is a stylish and functional choice with a distinctive appearance and a broad selection of glass options. The panels can be stopped and held at any position, giving you precise control over ventilation and opening height. The aluminum alloy frame features a factory-applied oxide film that makes it highly resistant to corrosion, abrasion, and scratching – and provides an added degree of fire resistance as well.

PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:




NFRC CERTIFIED PERFORMANCE

DOUBLE GLASS

U-Factor	0.45
SHGC	0.45
VT	0.91
DP	Class CW-PG30
CR	32
STC	32
Specification	5mm/5mm 22mm IGO

MAXIMUM SIZE

Max Width	78.7402"
Max Height	78.7402"
Min Width	23.622"
Min Height	21.65"



SERIES GAS STRUT WINDOW

100



The Gas Strut Window combines modern style with practical functionality and offers a wide range of glass options. The panels can be positioned and held at virtually any opening angle, giving you precise control over ventilation and airflow. The aluminum alloy frame features a factory-applied protective finish that enhances resistance to corrosion, abrasion, and scratches while also improving fire resistance.

PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:




NFRC CERTIFIED PERFORMANCE

DOUBLE GLASS

U-Factor	0.45
SHGC	0.45
VT	0.91
DP	Class CW-PG30
CR	32
STC	32
Specification	5mm/5mm 22mm IGO

MAXIMUM SIZE

Max Width	78.7402"
Max Height	78.7402"
Min Width	23.622"
Min Height	21.65"



SERIES FOLDING WINDOW

50


Our Folding Windows combine exceptional durability with refined aesthetics – available in a wide range of colors and finishes with a smooth, consistent surface texture. Their clean, versatile design pairs effortlessly with virtually any interior style, and they coordinate beautifully with our full range of doors and windows.

PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:




NFRC CERTIFIED PERFORMANCE

DOUBLE GLASS

U-Factor	0.45
SHGC	0.45
VT	0.51
DP	Class CW-PG30
CR	32
STC	32
Specification	5mm/5mm 19mm IGO

MAXIMUM SIZE

Max Width	177.17"
Max Height	70.8661"
Min Width	23.622"
Min Height	23.622"



SERIES FOLDING WINDOW

58



The Series 58 Folding Window shares the same durable construction and refined color selection as our Series 50, with an expanded frame depth for larger panel configurations. Available in a wide range of finishes with a smooth, consistent surface texture, it pairs effortlessly with virtually any interior style.

PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:




NFRC CERTIFIED PERFORMANCE

DOUBLE GLASS

U-Factor	0.45
SHGC	0.45
VT	0.51
DP	Class CW-PG30
CR	32
STC	32
Specification	5mm/5mm 22mm IGO


MAXIMUM SIZE

Max Width	220.47"
Max Height	94.4882"
Min Width	35.4331"
Min Height	39.3701"



SERIES THERMAL BREAK SLIM CASEMENT WINDOW (WITH RETRACTABLE SCREEN) 86

Our Slim Casement Window features ultra-narrow sightlines for maximum glass area and a modern, minimalist look. Multiple opening configurations and robust sealing ensure excellent thermal insulation and dust resistance. The built-in retractable screen keeps insects out without compromising the clean aesthetic. Suitable for high-end, mid-range, and standard applications.




PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 1.8mm / 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.29
SHGC	0.12
VT	0.21
DP	Class CW-PG60
CR	54
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS

U-Factor	0.30
SHGC	0.31
VT	0.34
DP	Class CW-PG60
CR	46
STC	32
Specification	5mm/5mm 34mm IGO


MAXIMUM SIZE

Max Width	39.3701"
Max Height	70.8661"
Min Width	19.685"
Min Height	23.622"

SERIES THERMAL BREAK TILT&TURN WINDOW WITH SCREEN

86

The Tilt & Turn Window offers two distinct opening modes in a single unit: tilt inward from the top for secure, controlled ventilation, or swing fully open from the side for maximum airflow and easy cleaning. It features excellent sealing, strong thermal insulation, and effective dust resistance – suitable for residential and commercial projects of any finish level.





PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 1.8mm / 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.20
SHGC	0.36
VT	0.41
DP	Class CW-PG60
CR	67
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS


U-Factor	0.27
SHGC	0.35
VT	0.40
DP	Class CW-PG60
CR	49
STC	32
Specification	5mm/5mm 34mm IGO

MAXIMUM SIZE

Max Width	47.2441"
Max Height	94.4882"
Min Width	19.685"
Min Height	25.5906"

SERIES THERMAL BREAK CRANK CASEMENT WINDOW WITH SCREEN 70

This window's refined design combines a clean, elegant profile with outstanding performance – including superior wind resistance, water tightness, air sealing, thermal insulation, and sound control. The frame uses a low-profile exterior / raised interior design for excellent water drainage. The American-style nail fin installation system effectively eliminates leakage at the rough opening during installation.




PRODUCT SPECIFICATIONS

Frame Material: 6066-T6 Aluminum
 Alu-Thickness: 1.8mm / 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.33
SHGC	0.12
VT	0.21
DP	Class CW-PG40
CR	54
STC	38
Specification	5mm/5mm/5mm 27mm IGO

DOUBLE GLASS

U-Factor	0.38
SHGC	0.31
VT	0.34
DP	Class CW-PG40
CR	46
STC	32
Specification	5mm/5mm 25mm IGO

MAXIMUM SIZE

Max Width	39.3701"
Max Height	70.8661"
Min Width	19.685"
Min Height	19.685"


SERIES SINGLE/DOUBLE HUNG WINDOW

100

Our Single/Double Hung Window delivers excellent energy efficiency, thermal insulation, and dust and noise reduction, along with strong wind load resistance. Wide glass panels provide a broad, unobstructed view, and the clean lines complement both traditional and contemporary architectural styles.

PRODUCT SPECIFICATIONS

Frame Material: 6063-T6 Aluminum
 Alu-Thickness: 1.4mm / 1.6mm / 1.8mm / 2.0mm / 2.5mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:




NFRC CERTIFIED PERFORMANCE

DOUBLE GLASS

U-Factor	0.43
SHGC	0.41
VT	0.46
DP	Class CW-PG40
CR	45
STC	32
Specification	5mm/5mm 25mm IGO


MAXIMUM SIZE

Max Width	94.4882"
Max Height	70.8661"
Min Width	23.622"
Min Height	23.622"



FIXED WINDOW 86

Our Fixed Window 86 provides excellent thermal insulation, fire and flame resistance, noise reduction, and sound insulation in a clean, non-operable frame. Ideal for maximizing glass area and natural light where ventilation is not required.




PRODUCT SPECIFICATIONS

Frame Material: 6063-T6 Aluminum
 Alu-Thickness: 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Opening Direction: Fixed



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.20
SHGC	0.36
VT	0.41
DP	Class CW-PG60
CR	67
STC	38
Specification	5mm/5mm/5mm 39mm IGO

DOUBLE GLASS


U-Factor	0.27
SHGC	0.35
VT	0.40
DP	Class CW-PG60
CR	49
STC	32
Specification	5mm/5mm 34mm IGO

MAXIMUM SIZE

Max Width	47.2441"
Max Height	98.4252"

FIXED WINDOW 110

The Fixed Window 110 shares the same thermal, acoustic, and fire-resistance performance as our Series 86, but with a deeper 110mm frame depth – ideal for thicker wall assemblies or projects requiring enhanced structural performance and glass capacity.



PRODUCT SPECIFICATIONS

Frame Material: 6063-T6 Aluminum
 Alu-Thickness: 1.8mm / 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Opening Direction: Fixed



Accessories:



Water
Tightness



Heat
Insulation



Prevent
Mist



Air
Tightness



Sound
performance



Wind Load
Resistance

NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor 0.33

SHGC 0.12

VT 0.21

DP Class CW-PG40

CR 54

STC 38

Specification 5mm/5mm/5mm
27mm IGO

DOUBLE GLASS

U-Factor 0.38

SHGC 0.31

VT 0.34

DP Class CW-PG40

CR 46

STC 32

Specification 5mm/5mm
25mm IGO

MAXIMUM SIZE

Max Width 59.0551"

Max Height 118.11"

CURTAIN WALL

210

The Series 200 Curtain Wall System delivers the thermal performance, acoustic insulation, and fire-resistance capabilities, while offering a robust 200 mm profile depth designed for large-scale architectural glazing applications. Engineered for high-rise facades and expansive glass layouts, the system provides superior structural integrity, increased glass capacity, and outstanding design flexibility. Its sleek sightlines and modern aesthetic make it an ideal solution for contemporary commercial and residential curtain wall projects.

PRODUCT SPECIFICATIONS

Frame Material: 6063-T6 Aluminum
 Alu-Thickness: 1.8mm / 2.0mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Opening Direction: Fixed



Accessories:



Water
Tightness



Heat
Insulation



Prevent
Mist



Air
Tightness



Sound
performance



Wind Load
Resistance

NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor 0.33

SHGC 0.12

VT 0.21

DP Class CW-PG40

CR 54

STC 38

Specification 5mm/5mm/5mm
27mm IGO

DOUBLE GLASS

U-Factor 0.38

SHGC 0.31


VT 0.34

DP Class CW-PG40

CR 46


STC 32

Specification 5mm/5mm
25mm IGO



SKYLIGHT WINDOW 100

Our Electric Skylight Window is eco-friendly, energy-efficient, and simple to operate. The motorized opening system allows easy control of ventilation and natural light from a single switch or remote. The power sunroof configuration is compatible with both independent double-entry and connected double-entry structures, helping to maximize usable floor area in sun rooms and glass house applications.





PRODUCT SPECIFICATIONS

Frame Material: 6063-T6 Aluminum
 Alu-Thickness: 1.4mm / 1.6mm / 1.8mm / 2.0mm / 2.5mm
 Glass Type: Tempered glass, single or double
 Glass Thickness: 5mm, 6mm, 8mm, 10mm
 Hardware: Included
 Finish: RAL powder coat or anodized



Accessories:



NFRC CERTIFIED PERFORMANCE

TRIPLE GLASS

U-Factor	0.33
SHGC	0.12
VT	0.21
DP	Class CW-PG40
CR	54
STC	38
Specification	5mm/5mm/5mm 27mm IGO

DOUBLE GLASS

U-Factor	0.38
SHGC	0.31
VT	0.34
DP	Class CW-PG40
CR	46
STC	32
Specification	5mm/5mm 25mm IGO


MAXIMUM SIZE

Max Width	59.0551"
Max Height	118.11"

GLASS HOUSE

200

The Glass House is a non-traditional structure built with glass panels and aluminum frames, designed to bring you closer to the outdoors while staying sheltered. Sometimes called a sun room or conservatory, it has become a popular architectural feature for homeowners who want to enjoy natural light, outdoor views, and a seamless connection to nature – year-round, in comfort.



Accessories:



PRODUCT SPECIFICATIONS

Frame Material: 6063-T6 Aluminum


Alu-Thickness: 3.0mm / 4.0mm

Glass Type: Tempered glass, single or double

Glass Thickness: 5mm, 6mm, 8mm, 10mm



Hardware: Included

Finish: RAL powder coat or anodized



GLASS LOUVRE WINDOW 50

Our Glass Louvre Window provides excellent ventilation with a wide, adjustable opening area that is easy to clean and maintain. The adjustable blade angle lets you control airflow precisely – even in strong wind – while maintaining full ventilation at all times. The glass blades are available in a variety of tints and surface finishes, making this window both functional and visually distinctive.



Accessories:



PRODUCT SPECIFICATIONS

Frame Material: 6063-T6 Aluminum


Alu-Thickness: 2.0mm

Glass Type: Tempered glass, single or double

Glass Thickness: 5mm, 6mm, 8mm, 10mm


Hardware: Included

Finish: RAL powder coat or anodized



ALUMINUM PROFILE COLORS


All NF aluminum profiles are available in a wide range of standard colors. Custom RAL colors are available upon request. Standard color options include:




Black




Sand Black



Brownish Black



Grayish Brown



Sand Lime



Melanite



Yuhua Stone




Silver Grey




Highlight White




Matte White



Matte Grey



Sand Coffee



Antique Brown

All profiles are finished with a durable RAL powder coat or anodized surface treatment for long-lasting performance and weather resistance.


TINTED GLASS

Tinted glass maintains full transparency from the inside while reducing the brightness and altering the color of the outward view. The most common tints — neutral gray, bronze, and blue-green — do not significantly distort the perceived color of the view and blend naturally with most architectural color palettes.



LAMINATED GLASS

Laminated glass is constructed by bonding a tough polyvinyl butyral (PVB) interlayer between two panes of glass under heat and pressure. Once sealed, the assembly behaves as a single unit and is visually indistinguishable from standard glass. Laminated glass delivers outstanding durability, high performance, and multifunctional benefits — including improved safety and sound insulation — while maintaining a clean, attractive appearance.



TEMPERED GLASS

Tempered glass — also called toughened glass — is a safety glass produced through controlled thermal or chemical treatment to dramatically increase its strength relative to standard glass. The tempering process places the outer surfaces under compression and the inner surfaces under tension. If broken, tempered glass shatters into small, rounded granular pieces rather than sharp, jagged shards, greatly reducing the risk of injury.



BUILT-IN BLINDS (ELECTRIC / MAGNETIC)

Our insulated glass units with built-in blinds incorporate double-layer tempered glass with integrated venetian blinds sealed inside the cavity. The blinds can be controlled manually using a magnetic external device, or automatically via a built-in electric motor — no cords, no dust accumulation, and no maintenance required.

By adjusting the angle of the venetian blinds, you can control the amount of light entering the room at any time of year. This makes built-in blind units an ideal solution for managing glare, privacy, and solar gain — while also contributing to energy savings by reducing air conditioning load in summer and retaining heat in winter.

Available in both electric (remote-controlled) and manual (magnetic) configurations.



INSULATED DOUBLE GLAZING

BENEFITS:

Energy Cost Savings

The airtight construction of double glazed units creates a thermal barrier that reduces the transfer of heat in and out of the building. Less energy is required to heat or cool your space, resulting in lower utility bills.

Condensation Control

The air gap between the two panes, combined with the airtight seal, prevents moisture from condensing on the interior glass surface in cold weather — keeping your view clear and your room comfortable.

Sound Insulation

Double glazed windows significantly reduce exterior noise by creating an additional acoustic barrier between your interior space and the environment outside.


SAFETY:

Increased Security

Double glazed units are significantly harder to break than single-pane windows, improving the overall security of your home. Their tight sealing also makes them difficult to force open from the outside.


UV and Fade Protection

Double glazing reduces the amount of solar radiation entering the room, helping to protect paintings, furniture, flooring, and other furnishings from sun-related fading and damage.



WINDOW CONFIGURATIONS


Our windows can be configured with any number of panels and virtually any combination of operating types — including left-hinge, right-hinge, top-hinge (awning), fixed, and dummy sash. Below are some of the most popular configurations we manufacture:




Fixed
(No Function)




Awning
(Flips Out)



Swing
(Hinges like Door)



Combination
(L Swing / R Fixed)




Combination Functions
(L Swing / M Fixed / R Swing — and more)

KEY:
 + Fixed Frame or Dummy Sash
 ^ Top Hinge
 < Left Hinge / > Right Hinge
 Mixed operating and fixed panels

SLIDER CONFIGURATIONS

Our sliding doors and windows can be built with any number of panels in a wide variety of operating configurations. (X= operating panel, O= fixed panel, P= pocket panel, L/R= left/right.) Common configurations include:

2-Panel:




XO OX

3-Panel:




XXO OXX OX-O O-XO XP PX

4-Panel:



XXXO OXXX OX-XO XXP PXX XXXP


Multi-Panel:



XXL XXR OXX-XXO PXXX-XXXP OXXX-XXXO

and more

Custom Configurations:




OX-XXO (CUSTOM) OXX-XO (CUSTOM) O-XXP (CUSTOM) O-XXXP (CUSTOM)

available on request

FOLDED CONFIGURATIONS

Our bifold doors and windows can be built with any number of panels, in a wide range of folding configurations to suit your opening size and the direction you want the panels to stack. Both inward-folding and outward-folding options are available, with left-stack, right-stack, and center-stack arrangements. See the configuration diagrams in the catalog for the full range of available layouts.



RETRACTABLE SCREEN DOOR

BENEFITS:

Pest Protection

Keeps insects, bugs, and debris out of your home while allowing fresh air to flow freely.

Unobstructed Views

The fine see-through mesh design preserves your sightlines without blocking the view.

Improved Airflow

Facilitates natural cross-ventilation throughout the home, reducing reliance on air conditioning and helping keep your space cool.

Versatile Installation

Compatible with single, double, and sliding door configurations.

Hands-Free Convenience

Magnet-based closure allows you to pass through easily even when your hands are full — the screen closes automatically behind you.



Available in single and double configurations.

GLOBAL PARTNER

NF Windows and Doors works with a carefully selected network of global suppliers and manufacturing partners to ensure consistent quality across every product we offer. Our key partners include:



CMECH

Hardware and locking systems



Haida

Testing and certification



BAIYUN

Sealing and weatherstripping components



AkzoNobe

Premium powder coat finishes



SG

Glass processing and supply



HOPO

Hardware and door/window fittings




BYYILE



Accessory components

PIVOT DOOR

80











DATA SHEET



		European standard GW mechanical 24*28004092 Integral lock D-561L	Primary color	4092 Main lock				
		European standard GW 24*2800 connected track without central control D-561L.F	Primary color	Secondary lock				
		RNLS8650ZL	Door panel (left)	one	FUHR			
		RNLS8650ZR	Door panel (right)	one	FUHR			
		MX402FP8UJ	Multi lock system	one				



SERIES SLIM FRAME SLIDING DOOR







170
DATA SHEET





				
track with stainless steel wheels	pulley	Piston-pin boss	plug	Bidirectional actuator
				
MAL12.30.011HS Silver A one-line style lock MAL12.30.065HS Black	MBH12.20.011HS Silver Door handle/ With lock MBH12.20.065HS Black	MBH12.10.011HS Silver Door handle/ Without lock MBH12.10.065HS Black	LPE47.00.17C3BH5 Silver Lock rod	SLP45.00.3BH5 Silver Lock seat
				
handle	H.1909.20.10C019 Silver Transmission rod	MTW08-H Black Flip lock buckle hand MTW08-B white Flip lock buckle hand	MTW09-H Black Pocket handle lock MTW09-B white Pocket handle lock	MTW08A-H Black Flip lock buckle hand (With keys) MTW08A-B white Flip lock buckle hand (With keys)



SERIES THERMAL BREAK LIFT SLIDING DOOR












150
DATA SHEET



 <table><tr><td>F800034-01</td><td>Silver</td><td rowspan="3">Inner door handle + hidden handle</td></tr><tr><td>F800034-10</td><td>Black</td></tr><tr><td>F800034-09</td><td>White</td></tr></table>	F800034-01	Silver	Inner door handle + hidden handle	F800034-10	Black	F800034-09	White	 <table><tr><td>E010034-01</td><td>Silver</td><td rowspan="3">Larger, double sided hidden buckle, key</td></tr><tr><td>E010034-10</td><td>Black</td></tr><tr><td>E010034-09</td><td>White</td></tr></table>	E010034-01	Silver	Larger, double sided hidden buckle, key	E010034-10	Black	E010034-09	White	 <table><tr><td>E010032-01</td><td>Silver</td><td rowspan="3">Larger, movable hidden buckle</td></tr><tr><td>E010032-10</td><td>Black</td></tr><tr><td>E010032-09</td><td>White</td></tr></table>	E010032-01	Silver	Larger, movable hidden buckle	E010032-10	Black	E010032-09	White	 <table><tr><td>E010033-01</td><td>Silver</td><td rowspan="3">Larger, fixed hidden buckle</td></tr><tr><td>E010033-10</td><td>Black</td></tr><tr><td>E010033-09</td><td>White</td></tr></table>	E010033-01	Silver	Larger, fixed hidden buckle	E010033-10	Black	E010033-09	White	 <table><tr><td>E090011</td><td>Primary color</td><td>High and low adjustable lock</td></tr></table>	E090011	Primary color	High and low adjustable lock	 <table><tr><td>A020117</td><td>Primary color</td><td>Intermediate drive 22.5mm</td></tr></table>	A020117	Primary color	Intermediate drive 22.5mm
F800034-01	Silver	Inner door handle + hidden handle																																					
F800034-10	Black																																						
F800034-09	White																																						
E010034-01	Silver	Larger, double sided hidden buckle, key																																					
E010034-10	Black																																						
E010034-09	White																																						
E010032-01	Silver	Larger, movable hidden buckle																																					
E010032-10	Black																																						
E010032-09	White																																						
E010033-01	Silver	Larger, fixed hidden buckle																																					
E010033-10	Black																																						
E010033-09	White																																						
E090011	Primary color	High and low adjustable lock																																					
A020117	Primary color	Intermediate drive 22.5mm																																					
 <table><tr><td>F100012</td><td>Primary color</td><td>Lock seat</td></tr></table>	F100012	Primary color	Lock seat	 <table><tr><td>F020005 (length 1350mm)</td><td>Primary color</td><td rowspan="3">Pulley connecting rod</td></tr><tr><td>F020006 (length 1850mm)</td><td>Primary color</td></tr><tr><td>F020007 (length 2650mm)</td><td>Primary color</td></tr></table>	F020005 (length 1350mm)	Primary color	Pulley connecting rod	F020006 (length 1850mm)	Primary color	F020007 (length 2650mm)	Primary color	 <table><tr><td>F020021 (length 2300mm) 200KG</td><td>Primary color</td><td rowspan="2">Medium narrow lift push and pull transmission</td></tr><tr><td>F020022 (length 2600mm) 200KG</td><td>Primary color</td></tr></table>	F020021 (length 2300mm) 200KG	Primary color	Medium narrow lift push and pull transmission	F020022 (length 2600mm) 200KG	Primary color	 <table><tr><td>F050006(200KG)</td><td>Primary color</td><td>Medium narrow lift push and pull 200kg front and rear pulleys</td></tr></table>	F050006(200KG)	Primary color	Medium narrow lift push and pull 200kg front and rear pulleys	 <table><tr><td>F080001</td><td>Black</td><td>Anti collision device</td></tr></table>	F080001	Black	Anti collision device														
F100012	Primary color	Lock seat																																					
F020005 (length 1350mm)	Primary color	Pulley connecting rod																																					
F020006 (length 1850mm)	Primary color																																						
F020007 (length 2650mm)	Primary color																																						
F020021 (length 2300mm) 200KG	Primary color	Medium narrow lift push and pull transmission																																					
F020022 (length 2600mm) 200KG	Primary color																																						
F050006(200KG)	Primary color	Medium narrow lift push and pull 200kg front and rear pulleys																																					
F080001	Black	Anti collision device																																					
 <table><tr><td>F110014</td><td>Primary color</td><td>Spacers and screws</td></tr></table>	F110014	Primary color	Spacers and screws	 <table><tr><td>F110015</td><td>Black</td><td>Rest spacers</td></tr></table>	F110015	Black	Rest spacers	 <table><tr><td>F110024(10x10x55 mm) four-square axis</td><td>Primary color</td><td>Door handle four-square axis</td></tr></table>	F110024(10x10x55 mm) four-square axis	Primary color	Door handle four-square axis	 <table><tr><td>F110038 (10x55)</td><td>Primary color</td><td>Door handle square shaft screw</td></tr></table>	F110038 (10x55)	Primary color	Door handle square shaft screw	 <table><tr><td>F140021</td><td>Primary color</td><td>Medium narrow lift sliding door pulley gasket 4mm</td></tr></table>	F140021	Primary color	Medium narrow lift sliding door pulley gasket 4mm																				
F110014	Primary color	Spacers and screws																																					
F110015	Black	Rest spacers																																					
F110024(10x10x55 mm) four-square axis	Primary color	Door handle four-square axis																																					
F110038 (10x55)	Primary color	Door handle square shaft screw																																					
F140021	Primary color	Medium narrow lift sliding door pulley gasket 4mm																																					
 <table><tr><td>17.5/27 Four wheels</td><td>Primary color</td><td>Pulley below</td></tr></table>	17.5/27 Four wheels	Primary color	Pulley below	 <table><tr><td>CJ2128348</td><td>Primary color</td><td>Anti theft pulley on top</td></tr></table>	CJ2128348	Primary color	Anti theft pulley on top																																
17.5/27 Four wheels	Primary color	Pulley below																																					
CJ2128348	Primary color	Anti theft pulley on top																																					



SERIES HEAVY DUTY SLIDING DOOR

135
DATA SHEET






 MAL12.30.011HS Silver A one-line style lock MAL12.30.065HS Black	 MBH12.20.011HS Silver Door handle/ With lock MBH12.20.065HS Black	 MBH12.10.011HS Silver Door handle/ Without lock MBH12.10.065HS Black	 LPE47.00.17C38HS Silver Lock rod	 SLP45.00.38HS Silver Lock seat
 TTC53.15.38H2 Silver T-shaped parts	 H.1909.20.10C019 Silver Transmission rod	 MTW08-H Black Flip lock: buckle hand MTW08-B white Flip lock: buckle hand	 MTW09-H Black Pocket handle lock MTW09-B white Pocket handle lock	 MTW08A-H Black Flip lock: buckle hand (With keys) MTW08A-B white Flip lock: buckle hand (With keys)
 20677 Silver Upper pulley	 15/10/226 Four wheels 627 Steel Primary color Steel lower pulley	 15*21*246 Four wheels Primary color Steel lower pulley		



SERIES THERMAL BREAK FOLDING DOOR

68

DATA SHEET







 <table><tr><td>KS-ZS0002PL-02</td><td>Silver</td><td rowspan="3">Door hinges</td></tr><tr><td>KS-ZS0002PL-03</td><td>Black</td></tr><tr><td>KS-ZS0002PL-04</td><td>White</td></tr></table>	KS-ZS0002PL-02	Silver	Door hinges	KS-ZS0002PL-03	Black	KS-ZS0002PL-04	White	 <table><tr><td>KS-ZS0005YL-02</td><td>Silver</td><td rowspan="3">Fake door hinges</td></tr><tr><td>KS-ZS0005YL-03</td><td>Black</td></tr><tr><td>KS-ZS0005YL-04</td><td>White</td></tr></table>	KS-ZS0005YL-02	Silver	Fake door hinges	KS-ZS0005YL-03	Black	KS-ZS0005YL-04	White	 <table><tr><td>KS-ST0035HB-32</td><td>Primary color</td><td>35°92 Door lock</td></tr></table>	KS-ST0035HB-32	Primary color	35°92 Door lock	 <table><tr><td>KS-LS0004LL-02</td><td>Silver</td><td rowspan="3">Aluminum handle</td></tr><tr><td>KS-LS0004LL-03</td><td>Black</td></tr><tr><td>KS-LS0004LL-04</td><td>White</td></tr></table>	KS-LS0004LL-02	Silver	Aluminum handle	KS-LS0004LL-03	Black	KS-LS0004LL-04	White	 <table><tr><td>KS-XN0002AL-02</td><td>Silver</td><td rowspan="3">Aluminum knob handle</td></tr><tr><td>KS-XN0002AL-03</td><td>Black</td></tr><tr><td>KS-XN0002AL-04</td><td>White</td></tr></table>	KS-XN0002AL-02	Silver	Aluminum knob handle	KS-XN0002AL-03	Black	KS-XN0002AL-04	White
KS-ZS0002PL-02	Silver	Door hinges																																	
KS-ZS0002PL-03	Black																																		
KS-ZS0002PL-04	White																																		
KS-ZS0005YL-02	Silver	Fake door hinges																																	
KS-ZS0005YL-03	Black																																		
KS-ZS0005YL-04	White																																		
KS-ST0035HB-32	Primary color	35°92 Door lock																																	
KS-LS0004LL-02	Silver	Aluminum handle																																	
KS-LS0004LL-03	Black																																		
KS-LS0004LL-04	White																																		
KS-XN0002AL-02	Silver	Aluminum knob handle																																	
KS-XN0002AL-03	Black																																		
KS-XN0002AL-04	White																																		
 <table><tr><td>KS-CD0145BX-62</td><td>Primary color</td><td>14.5 Bidirectional actuator (B)</td></tr></table>	KS-CD0145BX-62	Primary color	14.5 Bidirectional actuator (B)	 <table><tr><td>KS-CX0080DS-50</td><td>Primary color</td><td>80 folding door upper and lower plug 13°/48°</td></tr></table>	KS-CX0080DS-50	Primary color	80 folding door upper and lower plug 13°/48°	 <table><tr><td>KS-CX0080ES-50</td><td>Primary color</td><td>80 folding door fixed connection column M8</td></tr></table>	KS-CX0080ES-50	Primary color	80 folding door fixed connection column M8	 <table><tr><td>KS-SX4848RT-38</td><td>Primary color</td><td rowspan="2">96 nickel brushed lock core (48/48Single opening opening)</td></tr><tr><td>KS-SX4848RT-03</td><td>Black</td></tr></table>	KS-SX4848RT-38	Primary color	96 nickel brushed lock core (48/48Single opening opening)	KS-SX4848RT-03	Black	 <table><tr><td>KS-HY0068GL-02</td><td>Silver</td><td rowspan="2">68 Folding door hinges G</td></tr><tr><td>KS-HY0068GL-03</td><td>Black</td></tr></table>	KS-HY0068GL-02	Silver	68 Folding door hinges G	KS-HY0068GL-03	Black												
KS-CD0145BX-62	Primary color	14.5 Bidirectional actuator (B)																																	
KS-CX0080DS-50	Primary color	80 folding door upper and lower plug 13°/48°																																	
KS-CX0080ES-50	Primary color	80 folding door fixed connection column M8																																	
KS-SX4848RT-38	Primary color	96 nickel brushed lock core (48/48Single opening opening)																																	
KS-SX4848RT-03	Black																																		
KS-HY0068GL-02	Silver	68 Folding door hinges G																																	
KS-HY0068GL-03	Black																																		
 <table><tr><td>KS-HL0042SX-63</td><td>Primary color</td><td>Upper pulley</td></tr></table>	KS-HL0042SX-63	Primary color	Upper pulley	 <table><tr><td>KS-HL0043XX-63</td><td>Primary color</td><td>Lower load bearing pulley set 3+1</td></tr></table>	KS-HL0043XX-63	Primary color	Lower load bearing pulley set 3+1	 <table><tr><td>KS-HL0044HX-63</td><td>Primary color</td><td>Lower pulley 2+2</td></tr></table>	KS-HL0044HX-63	Primary color	Lower pulley 2+2	 <table><tr><td>KS-PK0002PL-02</td><td>Silver</td><td rowspan="2">Bump button</td></tr><tr><td>KS-PK0002PL-03</td><td>Black</td></tr></table>	KS-PK0002PL-02	Silver	Bump button	KS-PK0002PL-03	Black	 <table><tr><td>KS-HL0268AX-62</td><td>Primary color</td><td>Pulley block on the suspended rail 3+1</td></tr></table>	KS-HL0268AX-62	Primary color	Pulley block on the suspended rail 3+1														
KS-HL0042SX-63	Primary color	Upper pulley																																	
KS-HL0043XX-63	Primary color	Lower load bearing pulley set 3+1																																	
KS-HL0044HX-63	Primary color	Lower pulley 2+2																																	
KS-PK0002PL-02	Silver	Bump button																																	
KS-PK0002PL-03	Black																																		
KS-HL0268AX-62	Primary color	Pulley block on the suspended rail 3+1																																	
 <table><tr><td>KS-HL0268LX-62</td><td>Primary color</td><td>68PRO Upper pulley 2+2(L)</td></tr></table>	KS-HL0268LX-62	Primary color	68PRO Upper pulley 2+2(L)	 <table><tr><td>KS-HL0268RX-62</td><td>Primary color</td><td>68PRO Upper pulley 2+2(R)</td></tr></table>	KS-HL0268RX-62	Primary color	68PRO Upper pulley 2+2(R)	 <table><tr><td>JT-68ZD001</td><td>Black</td><td>Central column/border/vertical auxiliary frame rubber strip</td></tr><tr><td>JT-68ZD001-B</td><td>White</td><td>Central column/border/vertical auxiliary frame rubber strip</td></tr></table>	JT-68ZD001	Black	Central column/border/vertical auxiliary frame rubber strip	JT-68ZD001-B	White	Central column/border/vertical auxiliary frame rubber strip	 <table><tr><td>JT-68ZD002</td><td>Black</td><td>Central column rubber strip</td></tr><tr><td>JT-68ZD002-B</td><td>White</td><td>Central column rubber strip</td></tr></table>	JT-68ZD002	Black	Central column rubber strip	JT-68ZD002-B	White	Central column rubber strip	 <table><tr><td>JT-68ZD003</td><td>Black</td><td>Fan the vertical rubber strip</td></tr><tr><td>JT-68ZD003-B</td><td>White</td><td>Fan the vertical rubber strip</td></tr></table>	JT-68ZD003	Black	Fan the vertical rubber strip	JT-68ZD003-B	White	Fan the vertical rubber strip							
KS-HL0268LX-62	Primary color	68PRO Upper pulley 2+2(L)																																	
KS-HL0268RX-62	Primary color	68PRO Upper pulley 2+2(R)																																	
JT-68ZD001	Black	Central column/border/vertical auxiliary frame rubber strip																																	
JT-68ZD001-B	White	Central column/border/vertical auxiliary frame rubber strip																																	
JT-68ZD002	Black	Central column rubber strip																																	
JT-68ZD002-B	White	Central column rubber strip																																	
JT-68ZD003	Black	Fan the vertical rubber strip																																	
JT-68ZD003-B	White	Fan the vertical rubber strip																																	
 <table><tr><td>JT-68ZD004</td><td>Black</td><td>Frame rubber strip</td></tr></table>	JT-68ZD004	Black	Frame rubber strip	 <table><tr><td>JT-68ZD005</td><td>Black</td><td>Central column rubber strip</td></tr><tr><td>JT-68ZD005-B</td><td>White</td><td>Central column rubber strip</td></tr></table>	JT-68ZD005	Black	Central column rubber strip	JT-68ZD005-B	White	Central column rubber strip	 <table><tr><td>JT-68ZD006</td><td>Black</td><td>Double sided rubber strip</td></tr><tr><td>JT-68ZD006-B</td><td>White</td><td>Double sided rubber strip</td></tr></table>	JT-68ZD006	Black	Double sided rubber strip	JT-68ZD006-B	White	Double sided rubber strip	 <table><tr><td>JT-68ZD007</td><td>Black</td><td>Vertical auxiliary frame rubber strip</td></tr></table>	JT-68ZD007	Black	Vertical auxiliary frame rubber strip	 <table><tr><td>GJTL0120</td><td>Black</td><td>Semi central column rubber strip</td></tr></table>	GJTL0120	Black	Semi central column rubber strip										
JT-68ZD004	Black	Frame rubber strip																																	
JT-68ZD005	Black	Central column rubber strip																																	
JT-68ZD005-B	White	Central column rubber strip																																	
JT-68ZD006	Black	Double sided rubber strip																																	
JT-68ZD006-B	White	Double sided rubber strip																																	
JT-68ZD007	Black	Vertical auxiliary frame rubber strip																																	
GJTL0120	Black	Semi central column rubber strip																																	
 <table><tr><td>9349A</td><td>Black</td><td>Outside the glass rubber strip</td></tr></table>	9349A	Black	Outside the glass rubber strip	 <table><tr><td>FSTS-001</td><td>Black</td><td>Horizontal fan rubber strip</td></tr></table>	FSTS-001	Black	Horizontal fan rubber strip	 <table><tr><td>JZ68023L/JZ68023R</td><td>Black</td><td>Corner Rubber</td></tr><tr><td>JZ68023L-B/JZ68023R-B</td><td>White</td><td>Corner Rubber</td></tr></table>	JZ68023L/JZ68023R	Black	Corner Rubber	JZ68023L-B/JZ68023R-B	White	Corner Rubber	 <table><tr><td>8.6*1.0*1.2</td><td>Primary color</td><td>Fan steel sheet</td></tr></table>	8.6*1.0*1.2	Primary color	Fan steel sheet	 <table><tr><td>16.8*1.0*1.2</td><td>Primary color</td><td>Frame steel sheet</td></tr></table>	16.8*1.0*1.2	Primary color	Frame steel sheet													
9349A	Black	Outside the glass rubber strip																																	
FSTS-001	Black	Horizontal fan rubber strip																																	
JZ68023L/JZ68023R	Black	Corner Rubber																																	
JZ68023L-B/JZ68023R-B	White	Corner Rubber																																	
8.6*1.0*1.2	Primary color	Fan steel sheet																																	
16.8*1.0*1.2	Primary color	Frame steel sheet																																	

SERIES THERMAL BREAK FOLDING DOOR

68

DATA SHEET

		
14.3*41.7	14.3*12	14.3*20.6
Primary color	Primary color	Primary color
Frame corner code	Frame corner code	Fan corner code







SERIES THERMAL BREAK CASEMENT DOOR

65


DATA SHEET


 HSD605.012012HS Silver 605 door hinges HSD605.168168HS Black	 HSD615.012012HS Silver 615 door hinges HSD615.168168HS Black	 SDLK50.33.22CO25 HS 92/35 Multi point door lock	 ALP10.00.021 Silver Lock seat	 ALPD50.07.38 Stainless steel Lock panel
 SDLK50.33.22CO25 HS Primary color 92/35 Multi point door lock	 ABH51.00.011 Silver Door hinges ABH51.00.068HS Black	 CGC20.00.012 Primary color Passive fan transmission shell		



SERIES SLIM FRAME CASEMENT DOOR

4518
DATA SHEET



	BL9935A-18 casement door lock	Black	Casement door lock
	TDHY	Primary color	Upper and lower hinges
	7.8X23 custom made	Primary color	Frame corner code
	Primary color	Fan angle code	
	16.7x1.8	Primary color	Frame steel sheet
	F348	Primary color	Border rubber strip



BARN DOOR

4518
DATA SHEET





				
Hanging Damping rollers	Reerse Damper	Botlom guide	Eccentric base	Adjustable coil tube
				
Upper track	Load bearing plate	Anti-jump limit parts	Screw post	







SERIES THERMAL BREAK SLIDING WINDOW

86

DATA SHEET





 <table><tr><td>E010030-01</td><td>Silver</td><td rowspan="3">Single point hidden door handle</td></tr><tr><td>E010030-10</td><td>black</td></tr><tr><td>E010030-09</td><td>white</td></tr></table>	E010030-01	Silver	Single point hidden door handle	E010030-10	black	E010030-09	white	 <table><tr><td>P110003</td><td>Stainless steel</td><td>29MM Long lock hook</td></tr></table>	P110003	Stainless steel	29MM Long lock hook	 <table><tr><td>P100006</td><td>Stainless steel</td><td>10V Lock seat</td></tr></table>	P100006	Stainless steel	10V Lock seat	 <table><tr><td>0120104</td><td>Black</td><td>Plastic parts with hooks</td></tr></table>	0120104	Black	Plastic parts with hooks	 <table><tr><td>0121304</td><td>Black</td><td>U shaped groove</td></tr></table>	0121304	Black	U shaped groove
E010030-01	Silver	Single point hidden door handle																					
E010030-10	black																						
E010030-09	white																						
P110003	Stainless steel	29MM Long lock hook																					
P100006	Stainless steel	10V Lock seat																					
0120104	Black	Plastic parts with hooks																					
0121304	Black	U shaped groove																					
 <table><tr><td>0512704</td><td>Black</td><td>Nylon angular parts (upper part)</td></tr></table>	0512704	Black	Nylon angular parts (upper part)	 <table><tr><td>0512705</td><td>Black</td><td>Nylon angular parts (following part)</td></tr></table>	0512705	Black	Nylon angular parts (following part)	 <table><tr><td>XF-30 Drainage cover</td><td>Black</td><td>Drainage hole cover</td></tr></table>	XF-30 Drainage cover	Black	Drainage hole cover	 <table><tr><td>0551020</td><td>Black</td><td>ES86 Sash Horizontal Frame Cover</td></tr></table>	0551020	Black	ES86 Sash Horizontal Frame Cover	 <table><tr><td>0551022</td><td>Black</td><td>ES86 Sash Horizontal Frame Cover</td></tr></table>	0551022	Black	ES86 Sash Horizontal Frame Cover				
0512704	Black	Nylon angular parts (upper part)																					
0512705	Black	Nylon angular parts (following part)																					
XF-30 Drainage cover	Black	Drainage hole cover																					
0551020	Black	ES86 Sash Horizontal Frame Cover																					
0551022	Black	ES86 Sash Horizontal Frame Cover																					
 <table><tr><td>0551101</td><td>Black</td><td>ES86 Buffer gasket</td></tr></table>	0551101	Black	ES86 Buffer gasket	 <table><tr><td>0551108</td><td>Black</td><td>ES86 Anti theft Sealing Block (Combination)</td></tr></table>	0551108	Black	ES86 Anti theft Sealing Block (Combination)																
0551101	Black	ES86 Buffer gasket																					
0551108	Black	ES86 Anti theft Sealing Block (Combination)																					







SERIES GAS STRUT WINDOW









100
DATA SHEET



				
Frame corner code	Frame corner code	Fan corner code	Fan corner code	Electric air rod
				
Wireless control box	remote control	Electric air rod bracket	Electric air rod bracket	Hinge
				
Fan rubber strip	Frame rubber strip			



SERIES FOLDING WINDOW

50
DATA SHEET






	<table><tr><td>KS-HY0050AL-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-HY0050AL-03</td><td>Black</td><td>Folding door hinges A</td></tr></table>	KS-HY0050AL-02	Silver	50	KS-HY0050AL-03	Black	Folding door hinges A		<table><tr><td>KS-HY0050BL-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-HY0050BL-03</td><td>Black</td><td>Folding door hinges B</td></tr></table>	KS-HY0050BL-02	Silver	50	KS-HY0050BL-03	Black	Folding door hinges B		<table><tr><td>KS-HL0065AL-02</td><td>Silver</td><td>65</td></tr><tr><td>KS-HL0065AL-03</td><td>Black</td><td>Upper load bearing pulley block 3+1</td></tr></table>	KS-HL0065AL-02	Silver	65	KS-HL0065AL-03	Black	Upper load bearing pulley block 3+1		<table><tr><td>KS-HL0050AL-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-HL0050AL-03</td><td>Black</td><td>Lower load bearing pulley block 3+1</td></tr></table>	KS-HL0050AL-02	Silver	50	KS-HL0050AL-03	Black	Lower load bearing pulley block 3+1		<table><tr><td>KS-HL0065CL-02</td><td>Silver</td><td>65</td></tr><tr><td>KS-HL0065CL-03</td><td>Black</td><td>Upper load bearing pulley block 2+2(L)</td></tr></table>	KS-HL0065CL-02	Silver	65	KS-HL0065CL-03	Black	Upper load bearing pulley block 2+2(L)
KS-HY0050AL-02	Silver	50																																					
KS-HY0050AL-03	Black	Folding door hinges A																																					
KS-HY0050BL-02	Silver	50																																					
KS-HY0050BL-03	Black	Folding door hinges B																																					
KS-HL0065AL-02	Silver	65																																					
KS-HL0065AL-03	Black	Upper load bearing pulley block 3+1																																					
KS-HL0050AL-02	Silver	50																																					
KS-HL0050AL-03	Black	Lower load bearing pulley block 3+1																																					
KS-HL0065CL-02	Silver	65																																					
KS-HL0065CL-03	Black	Upper load bearing pulley block 2+2(L)																																					
	<table><tr><td>KS-HL0065CR-02</td><td>Silver</td><td>65</td></tr><tr><td>KS-HL0065CR-03</td><td>Black</td><td>Upper load bearing pulley block 2+2(R)</td></tr></table>	KS-HL0065CR-02	Silver	65	KS-HL0065CR-03	Black	Upper load bearing pulley block 2+2(R)		<table><tr><td>KS-HL0050BL-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-HL0050BL-03</td><td>Black</td><td>Lower load bearing pulley block 2+2(L)</td></tr></table>	KS-HL0050BL-02	Silver	50	KS-HL0050BL-03	Black	Lower load bearing pulley block 2+2(L)		<table><tr><td>KS-HL0050BR-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-HL0050BR-03</td><td>Black</td><td>Lower load bearing pulley block 2+2(R)</td></tr></table>	KS-HL0050BR-02	Silver	50	KS-HL0050BR-03	Black	Lower load bearing pulley block 2+2(R)		<table><tr><td>KS-CX0050BL-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-CX0050BL-03</td><td>Black</td><td>Folding door latch lock tongue (L)</td></tr></table>	KS-CX0050BL-02	Silver	50	KS-CX0050BL-03	Black	Folding door latch lock tongue (L)		<table><tr><td>KS-CX0050BR-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-CX0050BR-03</td><td>Black</td><td>Folding door latch lock tongue (R)</td></tr></table>	KS-CX0050BR-02	Silver	50	KS-CX0050BR-03	Black	Folding door latch lock tongue (R)
KS-HL0065CR-02	Silver	65																																					
KS-HL0065CR-03	Black	Upper load bearing pulley block 2+2(R)																																					
KS-HL0050BL-02	Silver	50																																					
KS-HL0050BL-03	Black	Lower load bearing pulley block 2+2(L)																																					
KS-HL0050BR-02	Silver	50																																					
KS-HL0050BR-03	Black	Lower load bearing pulley block 2+2(R)																																					
KS-CX0050BL-02	Silver	50																																					
KS-CX0050BL-03	Black	Folding door latch lock tongue (L)																																					
KS-CX0050BR-02	Silver	50																																					
KS-CX0050BR-03	Black	Folding door latch lock tongue (R)																																					
	<table><tr><td>KS-L50006LB-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-L50006LB-03</td><td>Black</td><td>Folding door twist door handle (L)</td></tr></table>	KS-L50006LB-02	Silver	50	KS-L50006LB-03	Black	Folding door twist door handle (L)		<table><tr><td>KS-L50006RB-02</td><td>Silver</td><td>50</td></tr><tr><td>KS-L50006RB-03</td><td>Black</td><td>Folding door twist door handle (R)</td></tr></table>	KS-L50006RB-02	Silver	50	KS-L50006RB-03	Black	Folding door twist door handle (R)		<table><tr><td>KS-CD0128AL-32</td><td>Primary color</td><td>28</td></tr><tr><td></td><td></td><td>Bidirectional actuator (L)</td></tr></table>	KS-CD0128AL-32	Primary color	28			Bidirectional actuator (L)		<table><tr><td>KS-CD0128AR-32</td><td>Primary color</td><td>28</td></tr><tr><td></td><td></td><td>Bidirectional actuator (R)</td></tr></table>	KS-CD0128AR-32	Primary color	28			Bidirectional actuator (R)		<table><tr><td>KS-CD0430CS-50</td><td>Black</td><td>Adjustable plastic transmission rod (450mm/black)</td></tr></table>	KS-CD0430CS-50	Black	Adjustable plastic transmission rod (450mm/black)			
KS-L50006LB-02	Silver	50																																					
KS-L50006LB-03	Black	Folding door twist door handle (L)																																					
KS-L50006RB-02	Silver	50																																					
KS-L50006RB-03	Black	Folding door twist door handle (R)																																					
KS-CD0128AL-32	Primary color	28																																					
		Bidirectional actuator (L)																																					
KS-CD0128AR-32	Primary color	28																																					
		Bidirectional actuator (R)																																					
KS-CD0430CS-50	Black	Adjustable plastic transmission rod (450mm/black)																																					
	<table><tr><td>KS-SG0050AX-64</td><td>Black</td><td>50</td></tr><tr><td></td><td></td><td>Folding door Transmission connector (24mm)</td></tr></table>	KS-SG0050AX-64	Black	50			Folding door Transmission connector (24mm)		<table><tr><td>ABT685</td><td>Black</td><td>Border rubber strip</td></tr></table>	ABT685	Black	Border rubber strip		<table><tr><td>FB5</td><td>Black</td><td>Fan shaped rubber strip</td></tr></table>	FB5	Black	Fan shaped rubber strip		<table><tr><td>FG201</td><td>Black</td><td>Tighten the opening rubber strip</td></tr></table>	FG201	Black	Tighten the opening rubber strip		<table><tr><td>D6146</td><td>Black</td><td>Fan shaped upper and lower rubber strip</td></tr></table>	D6146	Black	Fan shaped upper and lower rubber strip												
KS-SG0050AX-64	Black	50																																					
		Folding door Transmission connector (24mm)																																					
ABT685	Black	Border rubber strip																																					
FB5	Black	Fan shaped rubber strip																																					
FG201	Black	Tighten the opening rubber strip																																					
D6146	Black	Fan shaped upper and lower rubber strip																																					
	<table><tr><td>D6147</td><td>Black</td><td>Vertical frame rubber strips</td></tr></table>	D6147	Black	Vertical frame rubber strips																																			
D6147	Black	Vertical frame rubber strips																																					





SERIES FOLDING WINDOW

58

DATA SHEET





 <table><tr><td>KS-ZS0002PL-02</td><td>Silver</td><td rowspan="3">Door hinges</td></tr><tr><td>KS-ZS0002PL-03</td><td>Black</td></tr><tr><td>KS-ZS0002PL-04</td><td>White</td></tr></table>	KS-ZS0002PL-02	Silver	Door hinges	KS-ZS0002PL-03	Black	KS-ZS0002PL-04	White	 <table><tr><td>KS-ZS0005YL-02</td><td>Silver</td><td rowspan="3">Fake door hinges</td></tr><tr><td>KS-ZS0005YL-03</td><td>Black</td></tr><tr><td>KS-ZS0005YL-04</td><td>White</td></tr></table>	KS-ZS0005YL-02	Silver	Fake door hinges	KS-ZS0005YL-03	Black	KS-ZS0005YL-04	White	 <table><tr><td>KS-ST0010HB-32</td><td>Primary color</td><td>30°/92° Door lock</td></tr></table>	KS-ST0010HB-32	Primary color	30°/92° Door lock	 <table><tr><td>KS-LS0003DL-02</td><td>Silver</td><td rowspan="3">Folding door twist door handle</td></tr><tr><td>KS-LS0003DL-03</td><td>Black</td></tr><tr><td>KS-LS0003DL-04</td><td>White</td></tr></table>	KS-LS0003DL-02	Silver	Folding door twist door handle	KS-LS0003DL-03	Black	KS-LS0003DL-04	White	 <table><tr><td>KS-LS0003BL-02</td><td>Silver</td><td rowspan="3">Folding door locked twist door handle</td></tr><tr><td>KS-LS0003BL-03</td><td>Black</td></tr><tr><td>KS-LS0003BL-04</td><td>White</td></tr></table>	KS-LS0003BL-02	Silver	Folding door locked twist door handle	KS-LS0003BL-03	Black	KS-LS0003BL-04	White
KS-ZS0002PL-02	Silver	Door hinges																																	
KS-ZS0002PL-03	Black																																		
KS-ZS0002PL-04	White																																		
KS-ZS0005YL-02	Silver	Fake door hinges																																	
KS-ZS0005YL-03	Black																																		
KS-ZS0005YL-04	White																																		
KS-ST0010HB-32	Primary color	30°/92° Door lock																																	
KS-LS0003DL-02	Silver	Folding door twist door handle																																	
KS-LS0003DL-03	Black																																		
KS-LS0003DL-04	White																																		
KS-LS0003BL-02	Silver	Folding door locked twist door handle																																	
KS-LS0003BL-03	Black																																		
KS-LS0003BL-04	White																																		
 <table><tr><td>KS-LS0003CL-02</td><td>Silver</td><td rowspan="3">Folding door locked twist door handle</td></tr><tr><td>KS-LS0003CL-03</td><td>Black</td></tr><tr><td>KS-LS0003CL-04</td><td>White</td></tr></table>	KS-LS0003CL-02	Silver	Folding door locked twist door handle	KS-LS0003CL-03	Black	KS-LS0003CL-04	White	 <table><tr><td>KS-CD14SDX-62</td><td>Primary color</td><td>14.5 Bidirectional actuator (D)</td></tr></table>	KS-CD14SDX-62	Primary color	14.5 Bidirectional actuator (D)	 <table><tr><td>KS-CK0058AL-02</td><td>Primary color</td><td>58 Folding door latch lock tongue</td></tr></table>	KS-CK0058AL-02	Primary color	58 Folding door latch lock tongue	 <table><tr><td>KS-SX6565RT-38</td><td>Primary color</td><td>130 nickel brushed single opening lock core (65/65Rsingle opening)</td></tr></table>	KS-SX6565RT-38	Primary color	130 nickel brushed single opening lock core (65/65Rsingle opening)	 <table><tr><td>KS-HY0058FL-02</td><td>Silver</td><td rowspan="2">58 Folding door hinges F</td></tr><tr><td>KS-HY0058FL-03</td><td>Black</td></tr></table>	KS-HY0058FL-02	Silver	58 Folding door hinges F	KS-HY0058FL-03	Black										
KS-LS0003CL-02	Silver	Folding door locked twist door handle																																	
KS-LS0003CL-03	Black																																		
KS-LS0003CL-04	White																																		
KS-CD14SDX-62	Primary color	14.5 Bidirectional actuator (D)																																	
KS-CK0058AL-02	Primary color	58 Folding door latch lock tongue																																	
KS-SX6565RT-38	Primary color	130 nickel brushed single opening lock core (65/65Rsingle opening)																																	
KS-HY0058FL-02	Silver	58 Folding door hinges F																																	
KS-HY0058FL-03	Black																																		
 <table><tr><td>KS-HL0758AX-62</td><td>Primary color</td><td>SSPRO Upper pulley 2+2</td></tr></table>	KS-HL0758AX-62	Primary color	SSPRO Upper pulley 2+2	 <table><tr><td>KS-HL0558AX-62</td><td>Primary color</td><td>SSPRO Lower pulley 2+2</td></tr></table>	KS-HL0558AX-62	Primary color	SSPRO Lower pulley 2+2	 <table><tr><td>KS-HL0658AX-62</td><td>Primary color</td><td>SSPRO Upper pulley 3+1</td></tr></table>	KS-HL0658AX-62	Primary color	SSPRO Upper pulley 3+1	 <table><tr><td>KS-HL0558BX-62</td><td>Primary color</td><td>SSPRO Lower pulley 3+1</td></tr></table>	KS-HL0558BX-62	Primary color	SSPRO Lower pulley 3+1	 <table><tr><td>KS-CD0145BX-62</td><td>Primary color</td><td>14.5 Bidirectional actuator (B)</td></tr></table>	KS-CD0145BX-62	Primary color	14.5 Bidirectional actuator (B)																
KS-HL0758AX-62	Primary color	SSPRO Upper pulley 2+2																																	
KS-HL0558AX-62	Primary color	SSPRO Lower pulley 2+2																																	
KS-HL0658AX-62	Primary color	SSPRO Upper pulley 3+1																																	
KS-HL0558BX-62	Primary color	SSPRO Lower pulley 3+1																																	
KS-CD0145BX-62	Primary color	14.5 Bidirectional actuator (B)																																	
 <table><tr><td>KS-PK0002PL-02</td><td>Silver</td><td rowspan="2">Bump button</td></tr><tr><td>KS-PK0002PL-03</td><td>Black</td></tr></table>	KS-PK0002PL-02	Silver	Bump button	KS-PK0002PL-03	Black	 <table><tr><td>ABE3562</td><td>Black</td><td>Fan shaped rubber strip A</td></tr></table>	ABE3562	Black	Fan shaped rubber strip A	 <table><tr><td>ABE3563</td><td>Black</td><td>Tighten the opening rubber strip of the frame</td></tr></table>	ABE3563	Black	Tighten the opening rubber strip of the frame	 <table><tr><td>ABE3560</td><td>Black</td><td>Central column rubber strip</td></tr></table>	ABE3560	Black	Central column rubber strip	 <table><tr><td>ABE3625</td><td>Black</td><td>Frame rubber strip</td></tr></table>	ABE3625	Black	Frame rubber strip														
KS-PK0002PL-02	Silver	Bump button																																	
KS-PK0002PL-03	Black																																		
ABE3562	Black	Fan shaped rubber strip A																																	
ABE3563	Black	Tighten the opening rubber strip of the frame																																	
ABE3560	Black	Central column rubber strip																																	
ABE3625	Black	Frame rubber strip																																	
 <table><tr><td>ABE3556</td><td>Black</td><td>Fan shaped rubber strip B</td></tr></table>	ABE3556	Black	Fan shaped rubber strip B	 <table><tr><td>ABE3557</td><td>Black</td><td>Frame sealing rubber strip</td></tr></table>	ABE3557	Black	Frame sealing rubber strip	 <table><tr><td>ABE3559</td><td>Black</td><td>Fan-shaped sealing rubber strip</td></tr></table>	ABE3559	Black	Fan-shaped sealing rubber strip	 <table><tr><td>ABE602-1</td><td>Black</td><td>Tighten the opening rubber strip of the frame</td></tr></table>	ABE602-1	Black	Tighten the opening rubber strip of the frame																				
ABE3556	Black	Fan shaped rubber strip B																																	
ABE3557	Black	Frame sealing rubber strip																																	
ABE3559	Black	Fan-shaped sealing rubber strip																																	
ABE602-1	Black	Tighten the opening rubber strip of the frame																																	







SERIES THERMAL BREAK SLIM CASEMENT WINDOW (WITH RETRACTABLE SCREEN)

86

DATA SHEET







 <table><tr><td>KS-ZS0011AL-02</td><td>Silver</td><td>Side mounted handle (right)</td></tr><tr><td>KS-ZS0011AL-03</td><td>Black</td><td></td></tr></table>	KS-ZS0011AL-02	Silver	Side mounted handle (right)	KS-ZS0011AL-03	Black		 <table><tr><td>KS-ZS0011AR-02</td><td>Silver</td><td>Side mounted handle (left)</td></tr><tr><td>KS-ZS0011AR-03</td><td>Black</td><td></td></tr></table>	KS-ZS0011AR-02	Silver	Side mounted handle (left)	KS-ZS0011AR-03	Black		 <table><tr><td>KS-CD0128CL-32</td><td>Primary color</td><td>28 Bidirectional actuator CL</td></tr></table>	KS-CD0128CL-32	Primary color	28 Bidirectional actuator CL	 <table><tr><td>KK-JL0105LB-32/K-K-JL0105RB-32</td><td>16 inches</td><td>Hinge 3.5 60kg Load bearing capacity</td></tr></table>	KK-JL0105LB-32/K-K-JL0105RB-32	16 inches	Hinge 3.5 60kg Load bearing capacity	 <table><tr><td>KS-JL0183LB-32/K-S-JL0183RB-32</td><td>16 inches</td><td>Hinge 6.0 80kg Load bearing capacity</td></tr></table>	KS-JL0183LB-32/K-S-JL0183RB-32	16 inches	Hinge 6.0 80kg Load bearing capacity
KS-ZS0011AL-02	Silver	Side mounted handle (right)																							
KS-ZS0011AL-03	Black																								
KS-ZS0011AR-02	Silver	Side mounted handle (left)																							
KS-ZS0011AR-03	Black																								
KS-CD0128CL-32	Primary color	28 Bidirectional actuator CL																							
KK-JL0105LB-32/K-K-JL0105RB-32	16 inches	Hinge 3.5 60kg Load bearing capacity																							
KS-JL0183LB-32/K-S-JL0183RB-32	16 inches	Hinge 6.0 80kg Load bearing capacity																							
 <table><tr><td>SS12.08C38</td><td>8 inches</td><td>Telescopic brace</td></tr><tr><td>SS12.10C38</td><td>10 inches</td><td></td></tr></table>	SS12.08C38	8 inches	Telescopic brace	SS12.10C38	10 inches		 <table><tr><td>KS-SG0007AX-62</td><td>Primary color</td><td>Anti theft lock bar</td></tr></table>	KS-SG0007AX-62	Primary color	Anti theft lock bar	 <table><tr><td>KS-SZ0014PX-62</td><td>Primary color</td><td>Anti theft lock seat</td></tr></table>	KS-SZ0014PX-62	Primary color	Anti theft lock seat	 <table><tr><td>KS-ZC0002AX-62</td><td>Primary color</td><td>Lift the support component</td></tr></table>	KS-ZC0002AX-62	Primary color	Lift the support component	 <table><tr><td>KS-ZC0001AL-62</td><td>Primary color</td><td>Frame lifting support component L</td></tr></table>	KS-ZC0001AL-62	Primary color	Frame lifting support component L			
SS12.08C38	8 inches	Telescopic brace																							
SS12.10C38	10 inches																								
KS-SG0007AX-62	Primary color	Anti theft lock bar																							
KS-SZ0014PX-62	Primary color	Anti theft lock seat																							
KS-ZC0002AX-62	Primary color	Lift the support component																							
KS-ZC0001AL-62	Primary color	Frame lifting support component L																							
 <table><tr><td>KS-ZC0001AR-62</td><td>Primary color</td><td>Frame lifting support component R</td></tr></table>	KS-ZC0001AR-62	Primary color	Frame lifting support component R	 <table><tr><td>PH312.00.1T012H3</td><td>Silver</td><td>square shaft has no base handle</td></tr><tr><td>PH312.00.1T168H3</td><td>Black</td><td></td></tr></table>	PH312.00.1T012H3	Silver	square shaft has no base handle	PH312.00.1T168H3	Black		 <table><tr><td>SP07.07.2T26C021 X</td><td>Primary color</td><td>square shaft (equipped with screws)</td></tr></table>	SP07.07.2T26C021 X	Primary color	square shaft (equipped with screws)	 <table><tr><td>AGC37.30.011H5</td><td>Primary color</td><td>Multi functional transmission housing</td></tr></table>	AGC37.30.011H5	Primary color	Multi functional transmission housing	 <table><tr><td>ALR28.00.021H4</td><td>Primary color</td><td>ALR28 Safety lock bar</td></tr></table>	ALR28.00.021H4	Primary color	ALR28 Safety lock bar			
KS-ZC0001AR-62	Primary color	Frame lifting support component R																							
PH312.00.1T012H3	Silver	square shaft has no base handle																							
PH312.00.1T168H3	Black																								
SP07.07.2T26C021 X	Primary color	square shaft (equipped with screws)																							
AGC37.30.011H5	Primary color	Multi functional transmission housing																							
ALR28.00.021H4	Primary color	ALR28 Safety lock bar																							
 <table><tr><td>ALP33.00.021H4</td><td>Primary color</td><td>C slot safety lock seat</td></tr></table>	ALP33.00.021H4	Primary color	C slot safety lock seat																						
ALP33.00.021H4	Primary color	C slot safety lock seat																							






SERIES THERMAL BREAK TILT&TURN WINDOW WITH SCREEN

86

DATA SHEET


 PH401.00.168H2 Black PH401 PH401.00.012H2 Silver No base handle	 AGC50.00.021H4 Primary color Milling free drive housing	 AD21.00.021H4 Primary color Transmission component	 CATT51.35.38L Primary color Hinge assembly (left) CATT51.35.38R Primary color Hinge assembly (right)	 ATR20.09C38X Primary color C shaped groove wind brace
 AMCT10.00.021 Primary color Intermediate angle actuator	 ALR28.65.021H4 Primary color Lock rod	 ALP10.00.021 Primary color C slot lock seat	 MAL502.021.011H5 Silver Handle MAL502.021.065H5 Black Handle	 APT20.00.021 Primary color Conversion rod
 ALR28.00.021H4 Primary color Safety lock lever	 ALP33.00.021H4 Primary color C slot safety lock seat	 CATH21.00.38 Primary color Light hinge hidden hinge	 XS2360-1800B Primary color Sash corner connector (indoor)	 22*18 Customized Primary color Middle column angle code (outdoor)
 22*17.7 Customized Primary color Middle column angle code (indoor)	 F715 Black Glass fan rubber strip	 F5077 Black Conversion frame rubber strip	 20.3*1.0*1.5 Primary color Frame steel sheet	 13.8*1.0*1.5 Primary color Fan/Subframe steel sheet
 XS3710-2800B Primary color Sash corner connector (outdoor)				




SERIES THERMAL BREAK CRANK CASEMENT WINDOW WITH SCREEN

70

DATA SHEET




 <table><tr><td>hand crank window opener (white)</td><td>White</td><td rowspan="2">American hand crank window opener</td></tr><tr><td>hand crank window opener (black)</td><td>Black</td></tr></table>	hand crank window opener (white)	White	American hand crank window opener	hand crank window opener (black)	Black	 40 Primary color Switch	 14*23.9 Primary color Frame corner code	 14*27 Primary color Fan A side angle code	 14*12.7 One piece corner code Primary color Fan B side angle code
hand crank window opener (white)	White	American hand crank window opener							
hand crank window opener (black)	Black								
 10.9*1.0*1.2 Primary color Fan steel sheet	 15.6*1.0*1.3 Primary color Frame steel sheet	 F1420 Black Frame and sash rubber strips	 F1123 Black Gauze fan rubber strip						



SERIES SINGLE/DOUBLE HUNG WINDOW

100



DATA SHEET



FIXED WINDOW



86

DATA SHEET






FIXED WINDOW



110 DATA SHEET



SKYLIGHT WINDOW

100
DATA SHEET








GLASS LOUVRE WINDOW

50

DATA SHEET





LUXORA
— DOORS & WINDOWS —



☎ (818) 818-3501

🌐 luxoradw.com

📍 Los Angeles, CA